

Notice of Allowability	Application No.	Applicant(s)
	10/079,843	PLANKENHORN, DANIEL J.
	Examiner	Art Unit
	Theresa T Snider	1744
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to Amdt. of 6/10/2004.		
2. X The allowed claim(s) is/are 1-58 and 60-74 renumbered 1-	<u>73</u> .	
3. $\boxtimes$ The drawings filed on <u>6/10/2004</u> , <u>2/22/2002</u> are accepted by	by the Examiner.	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority un</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority doc</li> </ul>	been received. been received in Application No	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER's reason(s) why the oath or declarat	S AMENDMENT or NOTICE OF ion is deficient.
6. CORRECTED DRAWINGS ( as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review ( PTO-9	948) attached
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
<ul><li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li></ul>	Amendment / Comment or in the O	ffice action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawin ne header according to 37 CFR 1.121(d	gs in the front (not the back) of ).
<ol> <li>DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT Report of the comment of the co</li></ol>	sit of BIOLOGICAL MATERIAL m FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the L MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 ☐ Notice of Informal Pa	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary (	• • • • • • • • • • • • • • • • • • • •
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Date	e <u>7/30/2004</u>
4.   Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9.	
		Theresa T Snider Primary Examiner Art Unit: 1744

Application/Control Number: 10/079,843

Art Unit: 1744

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Didas on 7/30/2004.

The application has been amended as follows:

## In the Claims

Claim 67, line 2, --that includes a housing and a rotatable brush-- has been inserted after 'brush';

Line 5, 'extending' has been replaced with --for being fed along a path--;

Line 5, 'with' has been deleted;

Line 6, --being-- has been inserted after 'take-up reel';

Line 7, 'cleaned,' has been replaced with '--cleaned--;

Line 7, 'with' has been deleted;

Line 8, --along the path of the cleaning ribbon downstream of -- has been inserted after 'trap';

Line 8, 'between' has been deleted;

Line 9, --upstream of-- has been inserted after 'and';

Art Unit: 1744

Line 11, 'apparatus.' has been replaced with --apparatus, wherein, when the cartridge is mounted in the cleaning apparatus and the cleaning apparatus is in use, the particle trap receives debris swept by the rotatable brush.--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theresa T Snider whose telephone number is (571) 272-1277. The examiner can normally be reached on Monday-Wednesday-Friday (6:30am-3:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert J. Warden can be reached on (571) 272-1281. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

THERESAT. SNIDER

THERESAT. SNIDER
PRIMARY EXAMINER

Theresa T Snider Primary Examiner Art Unit 1744

8/2/2004